

Day : Thursday
Date: 7/20/2006

Time: 18:24:26


PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = IWASAKI

First Name = TATSUYA

Application#	Patent#	Status	Date Filed	Title	Inventor Name
08069106	5345639	150	05/28/1993	DEVICE AND METHOD FOR SCRUBBING AND CLEANING SUBSTRATE	IWASAKI, TATSUYA
08223528	5593335	150	04/05/1994	METHOD OF MANUFACTURING ELECTRON SOURCE, ELECTRON SOURCE MANUFACTURED BY SAID METHOD, AND IMAGE FORMING APPARATUS USING SAID ELECTRON SOURCES	IWASAKI, TATSUYA
08263882	Not Issued	166	06/22/1994	ELECTRON BEAM APPARATUS AND IMAGE-FORMING APPARATUS	IWASAKI, TATSUYA
08267542	5518552	150	06/29/1994	A METHOD FOR SCRUBBING AND CLEANING SUBSTRATE	IWASAKI, TATSUYA
08416369	5718763	150	04/04/1995	RESIST PROCESSING APPARATUS FOR A RECTANGULAR SUBSTRATE	IWASAKI, TATSUYA
08499579	5591061	150	07/07/1995	APPARATUS FOR MANUFACTURING ELECTRON SOURCE AND IMAGE FORMING APPARATUS	IWASAKI, TATSUYA
08508906	6147449	150	07/28/1995	ELECTRON-EMITTING DEVICE, WITH COATING FILM MADE OF HEAT-RESISTANT MATERIAL AND ELECTRON SOURCE AND IMAGE-FORMING APPARATUS USING THE DEVICE AND MANUFACTURE METHOD THEREOF	IWASAKI, TATSUYA
08543897	6160347	150	10/17/1995	ELECTRON SOURCE AND	IWASAKI,

				IMAGE FORMING APPARATUS AS WELL AS METHOD OF PROVIDING THE SAME WITH MEANS FOR MAINTAINING ACTIVATED STATE THEREOF	TATSUYA
<u>08718744</u>	<u>6231412</u>	150	09/18/1996	METHOD OF MANUFACTURING AND ADJUSTING ELECTRON SOURCE ARRAY	IWASAKI, TATSUYA
<u>08838734</u>	<u>6348761</u>	150	04/10/1997	ELECTRON BEAM APPARATUS AND IMAGE-FORMING APPARATUS	IWASAKI, TATSUYA
<u>08904848</u>	<u>5963449</u>	150	08/01/1997	INTERLOCK APPARATUS FOR A TRANSFER MACHINE	IWASAKI, TATSUYA
<u>08964608</u>	<u>5853803</u>	150	11/05/1997	RESIST PROCESSING METHOD AND APPARATUS	IWASAKI, TATSUYA
<u>09003154</u>	<u>6555957</u>	150	01/06/1998	ELECTRON BEAM APPARATUS AND IMAGE-FORMING APPARATUS	IWASAKI, TATSUYA
<u>09041450</u>	<u>6187132</u>	150	03/12/1998	SUBSTRATE TREATMENT DEVICE AND SUBSTRATE TRANSPORTING METHOD	IWASAKI, TATSUYA
<u>09078537</u>	<u>6062241</u>	150	05/13/1998	SUBSTRATE CONVEYING DEVICE AND SUBSTRATE CONVEYING METHOD	IWASAKI, TATSUYA
<u>09108195</u>	<u>6146083</u>	150	07/01/1998	SUBSTRATE TRANSFERRING APPARATUS AND SUBSTRATE PROCESSING APPARATUS USING THE SAME	IWASAKI, TATSUYA
<u>09121579</u>	<u>6116841</u>	150	07/24/1998	SUBSTRATE TRANSFERRING APPARATUS AND SUBSTRATE PROCESSING APPARATUS USING THE SAME	IWASAKI, TATSUYA
<u>09178422</u>	<u>6525461</u>	150	10/26/1998	NARROW TITANIUM-CONTAINING WIRE, PROCESS FOR PRODUCING NARROW TITANIUM-CONTAINING WIRE, STRUCTURE, AND ELECTRON-EMITTING DEVICE	IWASAKI, TATSUYA
<u>09178680</u>	<u>6628053</u>	150	10/26/1998	CARBON NANOTUBE DEVICE, MANUFACTURING METHOD OF CARBON	IWASAKI, TATSUYA

				NANOTUBE DEVICE, AND ELECTRON EMITTING DEVICE	
<u>09250400</u>	<u>6752676</u>	150	02/16/1999	METHODS FOR PRODUCING ELECTRON-EMITTING DEVICE, ELECTRON SOURCE, AND IMAGE-FORMING APPARATUS	IWASAKI, TATSUYA
<u>09255841</u>	<u>6149480</u>	150	02/23/1999	IMAGE FORMING DEVICE FABRICATION METHOD AND FABRICATION APPARATUS	IWASAKI, TATSUYA
<u>09272315</u>	<u>6203617</u>	150	03/19/1999	CONVEYING UNIT AND SUBSTRATE PROCESSING UNIT	IWASAKI, TATSUYA
<u>09276667</u>	<u>6278231</u>	150	03/26/1999	NANOSTRUCTURE, ELECTRON EMITTING DEVICE, CARBON NANOTUBE DEVICE, AND METHOD OF PRODUCING THE SAME	IWASAKI, TATSUYA
<u>09291045</u>	<u>6336054</u>	150	04/14/1999	INTERLOCK APPARATUS FOR A TRANSFER MACHINE	IWASAKI, TATSUYA
<u>09351001</u>	<u>6283815</u>	150	07/12/1999	ELECTRON SOURCE AND IMAGE FORMING APPARATUS AS WELL AS METHOD OF PROVIDING THE SAME WITH MEANS FOR MAINTAINING ACTIVATED STATE THEREOF	IWASAKI, TATSUYA
<u>09413322</u>	<u>6171162</u>	150	10/06/1999	ELECTRON-EMITTING DEVICE, ELECTRON SOURCE AND IMAGE-FORMING APPARATUS USING THE DEVICE, AND MANUFACTURE METHODS THEREOF	IWASAKI, TATSUYA
<u>09436989</u>	<u>6270571</u>	150	11/09/1999	METHOD FOR PRODUCING NARROW WIRES COMPRISING TITANIUM OXIDE, AND NARROW WIRES AND STRUCTURES PRODUCED BY THE SAME METHOD	IWASAKI, TATSUYA
<u>09466910</u>	<u>6214738</u>	150	12/20/1999	METHOD FOR PRODUCING NARROW PORES AND STRUCTURE HAVING THE NARROW PORES, AND	IWASAKI, TATSUYA

				NARROW PORES AND STRUCTURE PRODUCED BY THE METHOD	
<u>09472125</u>	<u>6464853</u>	150	12/23/1999	METHOD OF PRODUCING STRUCTURE HAVING NARROW PORES BY ANODIZING	IWASAKI, TATSUYA
<u>09472177</u>	<u>6193807</u>	150	12/27/1999	SUBSTRATE CONVEYING DEVICE AND SUBSTRATE CONVEYING METHOD	IWASAKI, TATSUYA
<u>09514596</u>	<u>6459207</u>	150	02/28/2000	ELECTRON BEAM APPARATUS AND IMAGE- FORMING APPARATUS	IWASAKI, TATSUYA
<u>09553857</u>	<u>6476409</u>	150	04/21/2000	NANO-STRUCTURES, PROCESS FOR PREPARING NANO-STRUCTURES AND DEVICES	IWASAKI, TATSUYA
<u>09649598</u>	<u>6610463</u>	150	08/29/2000	METHOD OF MANUFACTURING STRUCTURE HAVING PORES	IWASAKI, TATSUYA
<u>09666605</u>	Not Issued	161	09/20/2000	STRUCTURE HAVING PORES, DEVICE USNG THE SAME, AND MANUFACTURING METHODS THEREFOR	IWASAKI, TATSUYA
<u>09767851</u>	<u>6541386</u>	150	01/24/2001	METHOD FOR PRODUCING A STRUCTURE WITH NARROW PORES	IWASAKI, TATSUYA
<u>09796474</u>	Not Issued	161	03/02/2001	Electron-beam excitation laser	IWASAKI, TATSUYA
<u>09867611</u>	<u>6838297</u>	150	05/31/2001	NANOSTRUCTURE, ELECTRON EMITTING DEVICE, CARBON NANOTUBE DEVICE, AND METHOD OF PRODUCING THE SAME	IWASAKI, TATSUYA
<u>09895464</u>	<u>6737668</u>	150	07/02/2001	METHOD OF MANUFACTURING STRUCTURE WITH PORES AND STRUCTURE WITH PORES	IWASAKI, TATSUYA
<u>10137350</u>	<u>6936854</u>	150	05/03/2002	OPTOELECTRONIC SUBSTRATE	IWASAKI, TATSUYA
<u>10151235</u>	<u>6791463</u>	150	05/21/2002	ON-BOARD CONTROL SYSTEM AND METHOD FOR VEHICLES	IWASAKI, TATSUYA
<u>10178843</u>	<u>6855025</u>	150	06/25/2002	STRUCTURE AND A PROCESS	IWASAKI,

				FOR ITS PRODUCTION	TATSUYA
10222901	6790787	150	08/19/2002	STRUCTURE HAVING NARROW PORES	IWASAKI, TATSUYA
10252395	6784007	150	09/24/2002	NANO-STRUCTURES, PROCESS FOR PREPARING NANO-STRUCTURES AND DEVICES	IWASAKI, TATSUYA
10378596	7019447	150	03/05/2003	OPTICAL-PATH CHANGING APPARATUS, AND LIGHT RADIATING APPARATUS	IWASAKI, TATSUYA
10388430	6970610	150	03/17/2003	OPTICAL TRANSMISSION SHEET, OPTOELECTRIC APPARATUS, AND OPTICAL TRANSMISSION METHOD	IWASAKI, TATSUYA
10428749	Not Issued	61	05/05/2003	Color image pickup device and color light-receiving device	IWASAKI, TATSUYA
10435536	6720728	150	05/12/2003	DEVICES CONTAINING A CARBON NANOTUBE	IWASAKI, TATSUYA
10530188	Not Issued	30	04/04/2005	Reconfigurable optoelectronic circuit	IWASAKI, TATSUYA
10533564	Not Issued	30	05/03/2005	Process of information transmission in optical circuit device and optical circuit device therefor	IWASAKI, TATSUYA
10546780	Not Issued	30	08/25/2005	Optoelectronic circuit board with optical waveguide and optical backplane	IWASAKI, TATSUYA

[Search and Display More Records.](#)

Search Another: Inventor	Last Name	First Name	<input type="button" value="Search"/>
	<input type="text" value="IWASAKI"/>	<input type="text" value="TATSUYA"/>	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

	Type	Ref #	Hits	Search Text
1	BRS	S1	1	10/530188
2	BRS	S2	1	S1 and mov\$6
3	BRS	S3	1	S1 and (internal near7 configurat\$5)
4	BRS	S7	3	("6,278,231" "6,838,297" "20050129348").pn.
5	BRS	S8	7	("20020156998" "20020071151" "6,647,010" "6,289,440" "5,684,980" "6,023,755" "5,802,290").pn.
6	BRS	S9	7	S8 and reconfigur\$5
7	BRS	S10	1	S7 and reconfigur\$5
8	BRS	S11	23980	(reconfigur\$5 configur\$5) same optic\$5.ab.
9	BRS	S13	133979	(reconfigur\$5 configur\$5 rearrang\$5 arrang\$5) same logic
10	BRS	S14	1674457	(connect\$5 interconnect\$5) same circuit\$4
11	BRS	S15	107888	(control\$5) same circuit\$4 same optic\$4
12	BRS	S16	39332	(mov\$5 replac\$4 copy\$4) same circuit\$4 same optic\$4
13	BRS	S17	205570	(writ\$5 program\$5 reprogram\$5 rewrit\$5) same logic
14	BRS	S18	383874	(connect\$5 interconnect\$5) same optic\$4
15	BRS	S20	11633	(connect\$5 interconnect\$5 configur\$4 reconfigur\$4) same optic\$4 same logic
16	BRS	S21	9	S11 and S13 and S14 and S15 and S16 and S17 and S18 and S20
17	BRS	S22	199248	(connect\$5 interconnect\$5) near7 optic\$4
18	BRS	S23	63	S11 and S13 and S14 and (S16 S17) and S18 and S20 and S22
19	BRS	S24	58	S23 not S21
20	BRS	S25	23980	(reconfigur\$5 configur\$5) same optic\$5.ab.

	DBs	Time Stamp
1	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 17:02
2	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 12:02
3	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 12:16
4	US-PGPUB; USPAT	2006/07/19 12:40
5	US-PGPUB; USPAT	2006/07/19 17:26
6	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 13:03
7	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 13:04
8	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 14:18
9	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 14:20
10	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 14:26
11	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 14:22
12	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 14:23
13	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 14:24
14	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 14:40
15	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 14:27
16	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 14:41
17	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 14:40
18	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 14:42
19	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 15:47
20	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 15:47

	Type	Ref #	Hits	Search Text
21	BRS	S26	133979	(reconfigur\$5 configur\$5 rearrang\$5 arrang\$5) same logic
22	BRS	S27	1674457	(connect\$5 interconnect\$5) same circuit\$4
23	BRS	S28	107888	(control\$5) same circuit\$4 same optic\$4
24	BRS	S29	39332	(mov\$5 replac\$4 copy\$4) same circuit\$4 same optic\$4
25	BRS	S30	205570	(writ\$5 program\$5 reprogram\$5 rewrit\$5) same logic
26	BRS	S31	383874	(connect\$5 interconnect\$5) same optic\$4
27	BRS	S32	11633	(connect\$5 interconnect\$5 configur\$4 reconfigur\$4) same optic\$4 same logic
28	BRS	S34	199248	(connect\$5 interconnect\$5) near7 optic\$4
29	BRS	S35	63	S25 and S26 and S27 and (S29 S30) and S31 and S32 and S34
30	BRS	S36	58	S35 not S33
31	BRS	S37	20449	(logic) same (electric\$5 circuit\$4) same optic\$4
32	BRS	S39	215	(adjust\$4 modif\$4 chang\$4 modif\$6 alter\$5 flex\$5) near12 (logic) same (connect\$5 interconnect\$5 configur\$4 reconfigur\$4) same (electric\$5 circuit\$4) same optic\$4
33	BRS	S40	3090	(adjust\$4 modif\$4 chang\$4 modif\$6 alter\$5 configur\$4 reconfigur\$4) near7 (connect\$5 interconnect\$5 coupl\$4 communica\$5) near12 (logic circuit\$1) same (electric\$5 circuit\$4) same optic\$4
34	BRS	S41	1851	(adjust\$4 modif\$4 chang\$4 modif\$6 alter\$5 configur\$4 reconfigur\$4) near7 (position\$2 replac\$4) near12 (logic circuit\$1) same (electric\$5 circuit\$4) same optic\$4
35	BRS	S42	2	S38 and S39

	DBs	Time Stamp
21	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 15:47
22	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 15:47
23	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 15:47
24	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 15:52
25	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 15:47
26	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 15:47
27	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 15:47
28	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 15:47
29	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 15:47
30	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 15:49
31	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 15:56
32	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 16:05
33	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 16:10
34	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 16:12
35	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 16:06

	Type	Ref #	Hits	Search Text
36	BRS	S43	4761	(adjust\$4 modif\$4 chang\$4 modif\$6 alter\$5 configur\$4 reconfigur\$4) near7 (connect\$5 interconnect\$5 coupl\$4 communica\$5) near5 (logic circuit\$1 electric\$4) same (electric\$5 circuit\$4) same optic\$4
37	BRS	S44	1431	(adjust\$4 modif\$4 chang\$4 modif\$6 alter\$5 configur\$4 reconfigur\$4) near7 (position\$2 replac\$4 rearrang\$5) near7 (logic circuit\$1) same (electric\$5 circuit\$4) same optic\$4
38	BRS	S45	1	S38 and S43 and S44
39	BRS	S46	34901	((adjust\$4 modif\$4 chang\$4 modif\$6 alter\$5) near7 (program\$4 memory configur\$4 reconfigur\$4) rewrit\$4 reprogram\$4) near5 (logic circuit\$1 electric\$4 adj1 (elements components))
40	BRS	S47	2846	(adjust\$4 modif\$4 chang\$4 modif\$6 alter\$5 configur\$4 reconfigur\$4) near7 (connect\$5 interconnect\$5 coupl\$4 communica\$5) near7 (logic circuit\$1) same (optic\$4 optoelectr\$5)
41	BRS	S48	2	S36 and S46 and S47
42	BRS	S49	259355	((adjust\$4 modif\$4 chang\$4 modif\$6 alter\$5) near7 (program\$4 memory configur\$5 reconfigur\$5) rewrit\$4 reprogram\$4 writ\$4 program\$4) near6 (logic circuit\$1 electric\$4 adj1 (elements components))
43	BRS	S50	306517	(adjust\$4 modif\$4 chang\$4 modif\$6 alter\$5 configur\$4 reconfigur\$4 switch\$4) near7 (connect\$5 interconnect\$5 coupl\$4 communica\$5) near7 (logic circuit\$1)
44	BRS	S51	7	S38 and S49 and S50
45	BRS	S38	49	S36 and S37
46	BRS	S52	1	10/530188

	DBs	Time Stamp
36	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 16:37
37	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 16:13
38	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 16:13
39	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 16:42
40	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 16:50
41	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 16:40
42	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/20 10:56
43	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/20 10:55
44	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 17:07
45	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 17:00
46	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 17:02

	Type	Ref #	Hits	Search Text
47	BRS	S53	9	S35 and S49 and S50
48	BRS	S54	2	S53 not S51
49	BRS	S55	345760	((adjust\$4 modif\$4 chang\$4 modif\$6 alter\$5) near7 (program\$4 memory configur\$5 reconfigur\$5) rewrit\$4 reprogram\$4 writ\$4 program\$4) near10 (ic chip\$1 logic circuit\$1 electric\$4 adj1 (elements components))
50	BRS	S56	9	S35 and S55 and S50
51	BRS	S33	9	S25 and S26 and S27 and S28 and S29 and S30 and S31 and S32
52	BRS	S58	1	"6982974".pn.
53	BRS	S57	1	"20020156998".pn.
54	BRS	S59	2	S57 S58
55	BRS	S60	2	S35 and S59
56	BRS	S62	28	S35 and S50
57	BRS	S61	1	S60 and S49
58	BRS	S63	2	S60 and S50
59	BRS	S64	311073	(adjust\$4 modif\$4 chang\$4 modif\$6 alter\$5 configur\$4 reconfigur\$4 switch\$4) near7 (link\$4 relink\$4 connect\$5 interconnect\$5 coupl\$4 communica\$5) near7 (logic circuit\$1)
60	BRS	S65	9	S35 and S55 and S64
61	BRS	S66	0	S57 and S56
62	BRS	S67	1	"6982974".pn.
63	BRS	S68	1	S67 and S56
64	BRS	S69	1	"6982974".pn.

	DBs	Time Stamp
47	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 18:44
48	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 17:08
49	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 17:14
50	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 17:37
51	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 17:17
52	US-PGPUB; USPAT	2006/07/19 17:27
53	US-PGPUB; USPAT	2006/07/19 17:28
54	US-PGPUB; USPAT	2006/07/19 17:28
55	US-PGPUB; USPAT	2006/07/19 17:30
56	US-PGPUB; USPAT	2006/07/19 17:30
57	US-PGPUB; USPAT	2006/07/19 17:30
58	US-PGPUB; USPAT	2006/07/19 17:47
59	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/20 10:56
60	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 17:37
61	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/19 17:45
62	US-PGPUB; USPAT	2006/07/19 17:47
63	US-PGPUB; USPAT	2006/07/19 18:45
64	US-PGPUB; USPAT	2006/07/19 18:44

	Type	Ref #	Hits	Search Text
65	BRS	S70	1	S69 and S56
66	BRS	S71	1	S69 and (logic\$3 same (waveguide\$2 fiber\$2 fibre\$2 optic\$4)) and (electr\$4 cirecuit\$4)
67	BRS	S72	1	S69 and (logic\$3 same (waveguide\$2 fiber\$2 fibre\$2 optic\$4)) and (electr\$4 cirecuit\$4 interconnect\$5 connect\$4 coupl\$4)
68	BRS	S73	1	S69 and (logic\$3 and (waveguide\$2 fiber\$2 fibre\$2 optic\$4)) and (electr\$4 circuit\$4 interconnect\$5 connect\$4 coupl\$4)
69	BRS	S74	1	"6982974".pn.
70	BRS	S75	1	S74 and ((adjust\$4 modif\$4 chang\$4 modif\$6 alter\$5) near7 (program\$4 memory configur\$5 reconfigur\$5) rewrit\$4 reprogram\$4 writ\$4 program\$4) near6 (logic circuit\$1 electric\$4 adj1 (elements components))
71	BRS	S76	1	S74 and (adjust\$4 modif\$4 chang\$4 modif\$6 alter\$5 configur\$4 reconfigur\$4 switch\$4) near7 (connect\$5 interconnect\$5 coupl\$4 communica\$5) near7 (logic circuit\$1)
72	BRS	S77	1	S75 and ((logic near7 circuit\$4) logic)
73	BRS	S78	1	S76 and ((logic near7 circuit\$4) logic)
74	BRS	S79	1	S74 and (adjust\$4 modif\$4 chang\$4 modif\$6 alter\$5 configur\$4 reconfigur\$4 switch\$4) same (connect\$5 interconnect\$5 coupl\$4 communica\$5 link\$4 relink\$4 fibre\$1 fiber\$1 waveguide\$1) and (logic\$2 circuit\$2)
75	BRS	S80	0	S74 and ("fig.'" same (optic\$4 fiber\$1 waveguide\$2 fibre\$1))
76	BRS	S81	0	S74 and ("fig" and (optic\$4 fiber\$1 waveguide\$2 fibre\$1))
77	BRS	S82	0	S74 and ("fig." and (optic\$4 fiber\$1 waveguide\$2 fibre\$1))

	DBs	Time Stamp
65	US-PGPUB; USPAT	2006/07/19 19:49
66	US-PGPUB; USPAT	2006/07/19 19:50
67	US-PGPUB; USPAT	2006/07/19 19:57
68	US-PGPUB; USPAT	2006/07/19 19:58
69	US-PGPUB; USPAT	2006/07/20 10:55
70	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/20 13:52
71	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/20 12:41
72	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/20 11:29
73	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/20 11:29
74	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/20 13:00
75	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/20 13:01
76	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/20 13:01
77	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/20 13:01

	Type	Ref #	Hits	Search Text
78	BRS	S83	0	S74 and ("Fig.'" and (optic\$4 fiber\$1 waveguide\$2 fibre\$1))
79	BRS	S84	1	S74 and (optic\$4 fiber\$1 waveguide\$2 fibre\$1)
80	BRS	S85	1	S74 and ((adjust\$4 modif\$4 chang\$4 modif\$6 alter\$5) near7 (program\$4 memory configur\$5 reconfigur\$5) rewrit\$4 reprogram\$4 writ\$4 program\$4) near6 (logic circuit\$1 electric\$4 adj1 (elements components))
81	BRS	S86	1	S74 and (logic memory vari\$5 vary\$4 tun\$5)

	DBs	Time Stamp
78	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/20 13:02
79	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/20 13:50
80	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/20 13:52
81	US-PGPUB; USPAT; EPO; JPO; DERWENT	2006/07/20 13:52